145 The West Mall, P.O. Box 110 U
Toronto, ON M8Z 5M4

PRIOR AUTHORIZATION PROGRAM FORM

Brenzys ™ (Etanercept)

Instructions:

1. Section 1 to be completed by Plan Member / Patient
2. Section 2 to be completed by Physician (expenses incurred by the completion of this form is at plan member's expense)
3. Section 3 to be completed by Pharmacist

Please fax completed form to NexgenRx Formulary Management to 1-877-639-4369 or mail to 145 The West Mall P.O. Box 110 U, Toronto, Ontario,M8Z-5M4

Section 1: To be completed by Patient

Member's Name: (Last , First)	Card ID Number:		
Patient's Name: (Last, First)	Patient's Date of Birth (dd/mm/yy)	Relationship to Member (please circle) Employee Spouse Dependent	PATIENT CODE

Results of this request to be communicated to:

☐ Pharmacy	☐ Patient / Legal Guardian Named Below	☐ email:

I authorize NexgenRx Inc. (a) to use the personal information disclosed on this form, and any other personal information known to NexgenRx Inc. regarding the above-named patient, for the purpose of assessing this prior authorization request and any related claim and administering the benefit plan under which any such claim is made, and (b) to contact, and to obtain any such personal information from and to disclose any such personal information to, any physician, pharmacist or other health care professional having knowledge of such patient's health relevant to this request and any related claim.

Patient / Legal Guardian Name: _____ Telephone Number: _____

Signature of Patient/ Legal Guardian: _____ Date (dd/mm/yy):_____

Section 2: To be completed by Physician

Drug Name & Strength: Brenzys	DIN: 02455323 02455331	Dosage Instructions:

Eligibility for drug coverage is dependent upon the patient meeting at least one of the qualifying criteria listed below. If the patient has another drug plan, prior authorization may cover some or all of the excess not paid by the primary plan.

Please indicate if the patient meets one of the following qualifying criteria for drug coverage:

□ Treatment of moderately to severely active rheumatoid arthritis in adults. Treatment is effective in reducing the signs and symptoms of RA, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function. Brenzys can be initiated in combination with methotrexate (MTX) in adult patients or used alone.

□ Reducing signs and symptoms of active ankylosing spondylitis.

Physician Name: (Last, First)	License Number:
Address: (Street, City, Province, Postal Code)	Telephone Number : ( ) - Fax Number: ( ) -
Signature of Physician:	Date (dd/mm/yy)

Section 3: To be completed by Pharmacist

Pharmacy Name:	Provider Number:
Pharmacy Address: (Street, City, Province, Postal Code)	Telephone Number : ( ) - Fax Number: ( ) -
Signature of Pharmacist: _____ Pharmacist's Name: (Print Last, First) _____	

Internal Office Use Only:

Date Received:			Date Approved & By: